

MOUNTS

OPTICS

ELECTRONICS

2019



ENGLISH

Contents

MAK Optics & Electronics

MAKdot
Red-dot sghts 3



MAKknifer S3
3x Booster 3



MAKstorm 4x30i HD
Prism sight 3



MAKpro 5-25x56i HD
Riflescope 3



MAKcam
Kompakt camera
for riflescopes and spotting scopes 3



MAK Mounts

MAKuick quick release mount / 1-pc

For rifles 4



Adapter rails
for rifles and drop barrel guns 4



For drop barrel guns 5



Mono-block for Picatinny rail 5



MAKuick quick release mount / 2-pc

For Picatinny rail 6



Accessories 6



MAKcompetition
mounts for shooting sports 6



MAKmasterlock auto-locking mount 7



MAKflex bridge pivot mount 8



MAKmilmont mono-block mount
for Picatinny rail 10



Picatinny rails
for rifles and shotguns 10



MAKclassic pivot mount

For rifles and drop barrel guns 11



Rear bases 12

Locks and spacers 13

Rear feet, rear rings and rear prisms 14

Front feet 15

Front bases 16

MAKipp tip-on mounts

1-pc / for drop barrel guns 17



MAKfix
fixed mounts for rifles 18



Mounts for red-dot sights

MAKmasterlock auto-locking mount 19



MAKuick quick release mount 19



MAKlick pivot mount 19



MAKnetic clip-on mount
for rifles and shotguns 19



MAKugel Gen2 zero-tolerance mount 19



MAK Optics

MAKombi

Includes MAKdot S 1x20 Red-dot Sight, MAKnifier S3 3x Booster and MAKmasterLock CS Auto-locking Mount
Bestell-Nr. 68580-2725



Shown: MAKombi.

MAKnifier 3x Booster

Without Mount
Bestell-Nr. 25300302
With MAKflip Mount
Bestell-Nr. 25300302/7052-00302

MAKmasterLock CS

Auto-locking mono-block mount for MAKdot S and MAKnifier S3.
Bestell-Nr. 68580-1030

MAKdot S 1x20 Red-Dot Sight

Quick release mount and lens caps included.
Order No. 27850120

MAKdot 1x25 Reflex Sight

Standard Picatinny mount included.
Order No. 27850002



MAKdot SH Reflex Sight

Rubber cover included.
Order No. 27850003



MAKstorm 4x30i HD Prism Sight

Hex-nut Picatinny mount included.
Order No. 254003001



Shown: MAKstorm 4x30i HD with optional MAKmasterlock Auto-locking Mount.

MAKpro 5-25x56i HD Rifle Scope

Lens caps included.
Order No. 265305601



MAK Electronics

MAKcam Compact Camera for Riflescopes and Spotting Scopes

One standard ocular mount included (40–45 mm; please specify the required diameter).

MAKcam V3
Order No. 14009005

MAKcam
Order No. 14009003



MAKcam V3



MAKcam

MAKuick / 1-pc. For rifles.

Order example

5 0 7 2 - 3 0 0 4 7

50 = 1-pc MAKuick quick release mount.
With standard levers.

7 = Rifle manufacturer CZ

2 = Ring height 2,5 mm

30 = 30 mm maintube

047 = Rifle model CZ 550

1-pc MAKuick quick release mount for rifles / Key No.

With Standard lever	50
With Folding lever	501

Rifle manufacturer / Key No.

Blaser	9
CZ, Sako, Sauer, Tikka	7
Merkel	6

Ring height / Key No.


2,5 mm	2
5,0 mm	4
10,0 mm	8

Rifle model / Key No.

Blaser	R 93	193
	R 8	194
CZ	527	041
	550	047
Merkel	KR 1 with offset	162
	KR 1 without offset	164
	RX.Helix	163
Sauer	303	133
	404	144
Sako	75	054
	85 S	154
	85 M	254
Tikka	T3	107

Optic / Key No.

1"/26 mm maintube	26	LM prism	40
30 mm maintube	30	Picatinny rail	50
34 mm maintube	34	Swarovski rail	60
36 mm maintube	36	Zeiss rail	45
40 mm maintube	41		




Ring height



With standard lever

With folding lever

MAKuick / 1-pc. Adapter rails for rifles and drop barrel guns.



For Rifles / Order No.

Benelli Argo	5520-0003
FN-BAR	5520-0003
Heckler & Koch SLB 2000	5520-0058
Heckler & Koch SL 7	5520-0115
Marlin	5520-0120
Merkel SR 1	5520-0117
Remington 7400/7500/7600	5520-0013
Verney Carron Auto Impact	5520-0066

For Drop barrel guns / Order No.

B. Rizzini	5520-0502
Chapuis O/U Express Superposé	5520-0500
Chapuis S/S Express Juxtaposé	5520-0503
F.A.I.R. Techni-Mec	5520-0501
Zoli Drilling	5520-0200

MAKuick / 1-pc. For drop barrel guns.

Order example

5 0 2 2 - 3 0 0 0

- 50 = 1-pc MAKuick quick release mount.
With standard levers.
- 2 = Rail 12 mm
- 2 = Ring height 2,5 mm
- 30 = 30 mm maintube

1-pc MAKuick quick release mount for drop barrel guns. With standard levers.

Rail / Key No.

12 mm	2
14/15 mm	5

Ring height / Key No.

2,5 mm	2
5,0 mm	4
10,0 mm	8




Optic / Key No.

1"/26 mm maintube	26	LM prism	40
30 mm maintube	30	Picatinny rail	50
34 mm maintube	34	Swarovski rail	60
36 mm maintube	36	Zeiss rail	45
40 mm maintube	41		

- An adapter rail will be required for mounting the MAKuick to drop barrel guns. This needs to be ordered separately.
- See the chart on the left page below to select from the adapter rails available.

MAKuick / 1-pc. Mono-block for Picatinny rail.



Height



Plain upper rings

Diameter / Height / Slope / Order No.			
30 mm	17 mm	without slope	52500-3000
30 mm	17 mm	20 MOA slope	52520-3000
30 mm	23 mm	without slope	52500-3010
30 mm	23 mm	20 MOA slope	52520-3010
34 mm	17 mm	without slope	52500-3400
34 mm	17 mm	20 MOA slope	52520-3400
34 mm	23 mm	without slope	52500-3410
34 mm	23 mm	20 MOA slope	52520-3410

Upper rings with interface

Diameter / Height / Slope / Order No.			
30 mm	17 mm	without slope	52500-3008
30 mm	17 mm	20 MOA slope	52520-3008
30 mm	23 mm	without slope	52500-3018
30 mm	23 mm	20 MOA slope	52520-3018
34 mm	17 mm	without slope	52500-3408
34 mm	17 mm	20 MOA slope	52520-3408
34 mm	23 mm	without slope	52500-3418
34 mm	23 mm	20 MOA slope	52520-3418

MAKuick / 2-pc. For Picatinny rail.

With lever



Order example

5 2 5 0 - 3 0 1 2

- 52 = 2-pc MAKuick quick release mount.
For Picatinny/Weaver rails.
- 5 = With lever
- 30 = 30 mm maintube
- 12 = Height 12 mm

2-pc MAKuick quick release mount
for Picatinny/Weaver rails

With lever

Optic / Key No.

1"/26 mm maintube	26
30 mm maintube	30
34 mm maintube	34
LM prism	40
Swarovski rail	60
Zeiss rail	45

Height / Key No.

12,0 mm	12
21,0 mm (only for rings with Order No. 26, 30)	21

With knurled nut



Order example

5 2 6 0 - 3 0 0 7

- 52 = 2-pc MAKuick Schnellspannmontage.
For Picatinny-/Weaver-Schienen.
- 6 = With knurled nut
- 30 = 30 mm Maintube
- 12 = Height 12 mm

2-pc MAKuick quick release mount
for Picatinny/Weaver rails

With knurled nut

Optic / Key No.

30 mm maintube	30
34 mm maintube	34
36 mm maintube	36
Swarovski rail	60
Zeiss rail	45

Height / Key No.

7,0 mm (available for Key No. 30, 34, 36, 45)	07
8,5 mm (available for Key No. 60)	08
10,0 mm (available for Key No. 30, 34, 36)	10

For Tikka T3 with knurled nut



Model / Height / Diameter / Order No.

Tikka T3	12,0 mm	30,0 mm	56107-3012
----------	---------	---------	------------

MAKuick. MAKompetition. MAKmasterLock. Accessories.

MAKuick Base



Order No. 50572-0000

See page 9 for DEDAL/STANAG adapter.

MAKompetition



MAKompetition Base

Order No. 51572-0000


See page 9 for DEDAL/STANAG adapter.



MAKompetition

for Heckler & Koch G3, T41, T43, T94
with Picatinny rail

Order No. 5122-50205



MAKompetition with 2" off-set

Description / Order No.

30,0 mm rings with interface and 1" plastic inserts	58600-2602
30,0 mm rings with Interface	58600-3002
34,0 mm rings with Interface	58600-3402
Base without rings (height 18,0 mm)	58600-0002

MAKmasterLock. Auto-locking mount for Picatinny MIL-STD-1913.

Rings



45° diagonally splitted

Diameter / Height / Order No.		
30 mm	5 mm	24655-3005
34 mm	5 mm	24655-3405
34 mm	7,5 mm	24655-3407

45° diagonally splitted with interface

Diameter / Height / Order No.		
30 mm	5 mm	24645-3005
34 mm	5 mm	24645-3405

Horizontally splitted with Interface



Diameter / Height / Order No.		
30 mm	5 mm	24605-3005
34 mm	5 mm	24605-3405

Adapter for mounting accessories on the rings with Interface


Picatinny

Order No. 3300-5000



Picatinny with off-set

Order No. 3300-5100



Aimpoint Micro H1

Order No. 3300-1000



Docter Sight

Order No. 3300-9000



Adapter ring for flashlight

Height 5,0 mm

Order No. 3300-2605



MAKmasterLock CS

Auto-locking mono-block mount to combine the MAKdot S and MAKnifer S3.

Bestell-Nr. 68580-1030



MAKombi

Includes MAKdot S 1x20 Red-dot Sight, MAKnifer S3 3x Booster and MAKmasterLock CS Auto-locking Mount

Bestell-Nr. 68580-2725



Shown: MAKombi.



MAKmasterLock with off-set

Height / Off-set / Rings / Order No.			
23,0 mm	3" / 78,0 mm	1" / 26 mm	60563-2600
23,0 mm	3" / 78,0 mm	30,0 mm	60563-3000
23,0 mm	3" / 78,0 mm	34,0 mm	60563-3400



MAKmasterLock without off-set

Height / Rings / Order No.		
14,5 mm	1" / 26 mm	60560-2602
14,5 mm	30,0 mm	60560-3002
14,5 mm	34,0 mm	60560-3402
14,5 mm	36,0 mm	60560-3602
14,5 mm	40,0 mm	60560-4102
19 mm	Picatinny	60560-5000

MAKmasterLock for prism sights

Optic / Order No.

MAKstorm 4x30i HD 60560-8000



Please see page 19 for MAKmasterLock models for red-dot sights.



MAKflip. Optic Catch Mount.

MAKflip

The quick release riser mount with positive locking of the booster in upright position. Pressing the release button releases the spring-loaded mechanism and automatically tips the booster to the right.

Bestell-Nr. 7052-00302



MAKflex. For rifles and drop barrel guns.

Order example

2 0 0 0 - 3 0 0 0

20 = MAKflex modular bridge pivot mount.
With rotating lock.
30 = 30 mm maintube



MAKflex with rotating lock

2

Optic / Key No.

1"/26 mm maintube	26	Aimpoint Micro	10
30 mm maintube	30	LM prism	40
34 mm maintube	34	Picatinny rail	50
36 mm maintube	36	Swarovski rail	60
40 mm maintube	41	Zeiss rail	45

MAKflex for EAW

2 1

MAKflex for Merkel

2 2

MAKflex for Leupold Quick Release bases

2 3


MAKflex Short

MAKflex for original Steyr

2 4

MAKflex with lever lock

2 5



Ring height

Aluminum rings – classical



1"/26 mm ring

Ring height / Order No.	
2,5 mm	2460-2602
5,0 mm	2460-2605
7,5 mm	2460-2607
10,0 mm	2460-2610

30 mm ring

Ring height / Order No.	
2,5 mm	2460-3002
5,0 mm	2460-3005
7,5 mm	2460-3007
10,0 mm	2460-3010

34 mm ring

Ring height / Order No.	
2,5 mm	2460-3402
5,0 mm	2460-3405
11 mm	2460-3411

36 mm ring

Ring height / Order No.	
2,5 mm	2460-3602
5,0 mm	2460-3605

40 mm ring

Ring height / Order No.	
3,0 mm	2460-4003
5,0 mm	2460-4005

Pivot



Universal

Height / Order No.	
2,0 mm	2000-0002
4,0 mm (standard)	2000-0004
6,0 mm	2000-0006
10,0 mm	2000-0010

For original Steyr

Height / Order No.	
4,0 mm	2400-0004

Universal, extended

Off-set / Height / Order No.		
24,0 mm	4,0 mm	2000-2440
39,0 mm	4,0 mm	2000-3940

MAK

Adapter

For EAW rear bases



Height / Order No.	
4,0 mm	1410-0000

For original Steyr rear bases



Height / Order No.	
7,0 mm	1440-1507

For original Merkel SL I- and SL II rear bases



Height / Order No.	
7,5 mm	1420-0807



For DEDAL / STANAG


Description / Order No.	
For STANAG design	2460-0030
For ZM design (Dedal)	2460-0040
For convex design	2460-0020
For COT	2460-0080
For Fortuna One	2460-0060
For Pulsar Apex/Trail	2460-0100
For X Sight I	2460-0070
For X Sight II	2460-0071
For Yukon/Pulsar Phantom	2460-0090




For Picatinny

Length / Order No.	
120,0 mm	2460-50120
160,0 mm	2460-50160
240,0 mm	2460-50240
500,0 mm	2460-50500

MAKmilmont. Mono-block for Picatinny rail.



Height



Plain upper rings

Diameter / Height / Slope / Order No.			
30 mm	17 mm	without slope	57600-3000
30 mm	17 mm	20 MOA slope	57620-3000
30 mm	23 mm	without slope	57600-3010
30 mm	23 mm	20 MOA slope	57620-3010
34 mm	17 mm	without slope	57600-3400
34 mm	17 mm	20 MOA slope	57620-3400
34 mm	23 mm	without slope	57600-3410
34 mm	23 mm	20 MOA slope	57620-3410

Upper rings with interface

Diameter / Height / Slope / Order No.			
30 mm	17 mm	without slope	57600-3008
30 mm	17 mm	20 MOA slope	57620-3008
30 mm	23 mm	without slope	57600-3018
30 mm	23 mm	20 MOA slope	57620-3018
34 mm	17 mm	without slope	57600-3408
34 mm	17 mm	20 MOA slope	57620-3408
34 mm	23 mm	without slope	57600-3418
34 mm	23 mm	20 MOA slope	57620-3418

Picatinny rails for rifles and shotguns.



Model / Order No.	
Benelli Raffaello	5520-50121
CZ 550	5520-50047
FN-BAR	5520-50003

Model / Order No.	
Heckler & Koch SLB 2000	5520-50058
Mauser 98	5520-50010
Merkel SR 1	5520-50117
Remington 700 Short	55201-50012
Remington 700 Long	55202-50012
Sauer 202 Standard	55201-50080
Sauer 202 Magnum	55202-50080

Model / Order No.	
Steyr SSG 69	5520-50069
Steyr SBS (L System)	55201-50089
Steyr SBS (L System) 20 MOA	55221-50089
Steyr SBS (M/S System) 20 MOA	55222-50089
Sako TRG 42	5520-50042
Sako 75/ 85	5520-50054
Tikka T3	5520-50107

MAKlassic. For rifles and drop barrel guns.



Order example

1 0 2 2 - 3 0 0 8 0

- 10** = 2-pc MAKlassic pivot mount.
With rotating lock.
- 2** = Height 17 mm
- 2** = Off-set front feet 26 mm
- 30** = 30 mm maintube
- 080** = Rifle model Sauer 202

Rifle model / Key No.

See the chart "Rifles" and "Drop barrel guns"

2-pc MAKlassic pivot mount for rifles / Key No.

With rotating lock 10

Height / Key No.


14 mm	0
15,5 mm (only Zeiss ZM/VM)	1
17 mm	2
18,5 mm (only Zeiss ZM/VM)	4
22 mm (only Ø 34 mm)	7

Optic / Key No.

1"/26 mm maintube	26	LM prism	40
30 mm maintube	30	Swarovski rail	60
34 mm maintube	34	Zeiss rail	45
36 mm maintube	36		

Off-set / Key No.

0 mm	0
26 mm (except ZM/VM and SR)	2
34 mm	4
49 mm	6



Off-set

Rifles

Model / Key No.		
Antonio Zoli	1900	067
Benelli	ARGO	003
BRNO	Fox, CZ 527, ZKB 680	041
	ZKK 600, CZ 550	047
	CZ 531	065
Carl Gustav	1896, 1900	005
	2000, 3000	095
	4000	037
Fabarm	Iris	040
FN Browning	A-Bolt, Eurobolt	002
	BAR I, BAR II, CBL, Acera	003
	BLR, CLR	057
	European	056
	Browning Mauser	004
	X-Bolt	128
Haenel	Jaeger 10	110
Heckler & Koch	SLB 2000	058
Heym	SR 20	060
	SR 21	039
	SR 30	099
Kongsberg	M 389	061
Krico	600, 700, 900, 902	006
Lakelander	M 389	071
Mauser	M 12	020
	225 Titan 2	035
	66	009
	94, 96 < Nr. 96011999	094
	94, 96 > Nr. 96012000	096
	K 98	010
Merkel	SR 1	117
Parker Hale	Safari 1200	011

Model / Key No.		
Remington	700	012
	7400 / 7600	013
	Seven	078
RWS/Rössler	Titan 6	108
Sabatti	Rover	075
Sako	Forester, Finnbear,	
	Finnwolf	053
	75, 85	054
Santa Barbara	Bolt action	044
Sauer	80, 90, 92	015
	200	059
	202	080
	100	082
	101	081
	STR	106
	Savage	110, 116 Kojak
Schultz & Larssen	M 97	104
	Classic SBS	089
	L	093
	M 086	086
	SM 12	090
	SL, L-Jagdmatch	018
	Ultra Light	111
	Scout	112
	Luxus	127
	Swiss Arms	SHR 970
Tikka	55, 65, 558, 658	031
	590, 690	043
	Master	038
	T 3	107
Verney Carron	Automat	066
	Bolt action	019


Model / Key No.		
Voere	2165 Kufstein	021
	Titan 2	045
	2185 Automat	083
Weatherby	Mark V, 300, Vanguard	023
Winchester	70	024
	70 Mod. .223, .243 WSSM	114
	SXR Vulkan	025
Zastava	Mini Mauser	008
	70	049

Drop barrel guns

Model / Key No.		
Antonio Zoli	Drop barrel	505
Beretta	Silver Sable	513
B. Rizzini	Drop barrel	502
Browning	525 Express	507
Chapuis	O/U Express	
	Superposé	500
	S/S Express	
	Juxtaposé	503
F.A.I.R. Techni-Mec	Drop barrel	501
Krieghoff	Optima	511
Merkel	141	506
	SL 1, SL 2	512
Sabatti / Humbert	Drop barrel	504
Suhl	Drilling	510
Verney Carron	Sagittaire	508

MAKlassic. Rear bases.

Rifles



Model / Order No.		
Antonio Zoli	1900	1480-0067
Benelli	ARGO	1480-0003
BRNO	Fox, CZ 527, ZKB 680	1480-0041
	ZKK 600, CZ 550	1480-0047
	CZ 531	1480-0065
Carl Gustav	1896, 1900	1480-0005
	2000, 3000	1480-0095
	4000	1480-0037
Fabarm	Iris	1480-0040
FN Browning	A-Bolt, Eurobolt	1480-0002
	BAR I, BAR II, CBL, Acera	1480-0003
	BLR, CLR	1480-0057
	European	1480-0056
	Browning Mauser	1480-0004
	X-Bolt	1480-0128
Haenel	Jaeger 10	1480-0110
Heckler & Koch	SLB 2000	1480-0058
Heym	SR 20	1480-0060
	SR 21	1480-0039
	SR 30	1480-0099
Kongsberg	M 389	1480-0061
Krico	600, 700, 900, 902	1480-0006
Lakeland	M 389	1480-0071
Mauser	M 12	1480-0020
	225 Titan 2	1480-0035
	66	1480-0009
	94, 96 < Nr. 96011999	1480-0094
	94, 96 > Nr. 96012000	1480-0096
	K 98	1480-0010
Merkel	SR 1	1480-0117
Parker Hale	Safari 1200	1480-0011
Remington	700	1480-0012
	7400 / 7600	1480-0013
	Seven	1480-0078
RWS/Rössler	Titan 6	1480-0108
Sabatti	Rover	1480-0075
Sako	Forester, Finnbear,	
	Finnwolf	1480-0053
	75, 85	1480-0054
Santa Barbara	Bolt action	1480-0044


Model / Order No.		
Sauer	80, 90, 92	1480-0015
	200	1480-0082
	202	1480-0081
	100	1480-0059
	101	1480-0080
	STR	1480-0106
Savage	110, 116 Kojak	1480-0016
Schultz & Larssen	M 97	1480-0104
Steyr	Classic SBS	1480-0089
	L	1480-0093
	M 086	1480-0086
	SM 12	1480-0090
	SL, L-Jagdmatch	1480-0018
	Ultra Light	1480-0111
	Scout	1480-0112
Luxus	1480-0127	
Swiss Arms	SHR 970	1480-0109
Tikka	55, 65, 558, 658	1480-0031
	590, 690	1480-0043
	Master	1480-0038
	T 3	1480-0107
Verney Carron	Automat	1480-0066
	Bolt action	1480-0019
Voere	2165 Kufstein	1480-0021
	Titan 2	1480-0045
	2185 Automat	1480-0083
Weatherby	Mark V, 300, Vanguard	1480-0023
Winchester	70	1480-0024
	70 Model .223,	
	.243 WSSM	1480-0114
	SXR Vulkan	1480-0025
Zastava	Mini Mauser	1480-0008
	70	1480-0049

Drop barrel guns

Rear base with 15 mm dovetail.

Length: 18 mm, Height: 2,5 mm, prepared to be installed in the rib of shotguns and drillings.

Order No. 1490-1800



Rear base with 15 mm dovetail.

Length: 22 mm, Height: 2,5 mm, prepared to be installed with 70° dovetail in the rib of drop barrel guns.


Order No. 1490-2200



Rear base with 15 mm dovetail.

Length: 27 mm, to be soldered in the rib of a superposed gun.

Order No. 1490-2500



Rear base with 15mm dovetail.

Length: 27 mm, to be soldered in the rib of shotguns and drillings.

Order No. 1490-2550



MAKlassic. Locks and spacers.

Locks



Rotating lock

Verwendung / Height / Order No.		
12 mm BBF prism	8,0 mm	1400-1208
14 mm Krieghoff prism	8,0 mm	1400-1408
15 mm standard prism	8,0 mm	1400-1508



Lever lock with safety

Use / Height / Order No.		
15 mm standard prism	8,0 mm	1450-1508

Adapter for EAW bases



Use / Height / Order No.		
Compatible with all MAK Pivot mounts and rear EAW bases	4,0 mm	1410-0000

Adapter for original Steyr rear bases



Use / Height / Order No.		
Compatible with all MAK Pivot mounts and Steyr rear bases	7,0 mm	1440-1507

Adapter for original Merkel SL 1 and 2 rear bases



Use / Height / Order No.		
Compatible with all MAK Pivot mounts and Merkel SL 1 and 2 rear bases	7,0 mm	1440-1507

Spacers with polygonal windage adjustment

Height / Order No.			
0,5 mm	1440-0005	7,0 mm	1440-0070
1,0 mm	1440-0010	7,5 mm	1440-0075
1,5 mm	1440-0015	8,0 mm	1440-0080
2,0 mm	1440-0020	8,5 mm	1440-0085
2,5 mm	1440-0025	9,0 mm	1440-0090
3,0 mm	1440-0030	10,0 mm	1440-0100
3,5 mm	1440-0035	10,5 mm	1440-0105
4,0 mm	1440-0040	11,0 mm	1440-0110
4,5 mm	1440-0045	11,5 mm	1440-0115
5,0 mm	1440-0050	12,0 mm	1440-0120
5,5 mm	1440-0055	15,0 mm	1440-0150
6,0 mm	1440-0060	20,0 mm	1440-0200
6,5 mm	1440-0065		



MAKlassic. Rear feet, rear rings and rear prisms.

Rear feet

For 15 mm dovetail
 Ring height: 2,0 mm
 Spacer height: 12,0 mm
 Lock height: 8,0 mm



Rotating lock

Optic / Lock / Order No.		
1"/26 mm maintube	Rotating lock	1458-2600
30 mm maintube	Rotating lock	1458-3000
34 mm maintube	Rotating lock	1458-3400
LM prism	Rotating lock	1458-4000
Swarovski rail	Rotating lock	1458-6000
Zeiss rail	Rotating lock Height 3,0 mm	1458-4000

Steel rear rings – classical



Diameter / Height / Order No.		
1"/26 mm	2,0 mm	1460-2602
30 mm	2,0 mm	1460-2602
34 mm	2,0 mm	1460-3402

Steel rear rings – horizontally splitted



Diameter / Height / Order No.		
30 mm	2,0 mm	1465-3002
34 mm	2,0 mm	1465-3402
36 mm	2,0 mm	1465-3602

Rear prisms



Optic / Height / Order No.		
LM prism	2,0 mm	1460-4002
Swarovski rail	2,0 mm	1460-6002
Zeiss rail	3,0 mm	1460-4503



MAKlassic. Front feet.

Front foot, 1"/26 mm ring

With vertical tolerance adjustment
Ring width: 15 mm



Off-set / Height / Order No.		
0 mm	12,0 mm	1630-2620
26 mm	9,0 mm	1630-2602
26 mm	12,0 mm	1630-2622
34 mm	9,0 mm	1630-2604
34 mm	12,0 mm	1630-2624
49 mm	12,0 mm	1630-2626

Front foot, LM prism

With vertical tolerance adjustment
Prism width: 22 mm



Off-set / Height / Order No.		
0 mm	12,0 mm	1630-4020
26 mm	9,0 mm	1630-4002
26 mm	12,0 mm	1630-4022
34 mm	9,0 mm	1630-4004
34 mm	12,0 mm	1630-4024
49 mm	12,0 mm	1630-4026

Front foot, 30 mm ring

With vertical tolerance adjustment
Ring width: 15 mm

Off-set / Height / Order No.		
0 mm	12,0 mm	1630-3020
26 mm	9,0 mm	1630-3002
26 mm	12,0 mm	1630-3022
34 mm	9,0 mm	1630-3004
34 mm	12,0 mm	1630-3024
49 mm	12,0 mm	1630-3026

Front foot, Swarovski rail

With vertical tolerance adjustment
Prism width: 35 mm



Off-set / Height / Order No.		
0 mm	12,0 mm	1630-6020
34 mm	9,0 mm	1630-6004
34 mm	12,0 mm	1630-6024
49 mm	12,0 mm	1630-6026

Front foot, 34 mm ring

With vertical tolerance adjustment
Ring width: 15 mm

Off-set / Height / Order No.		
26 mm	12,0 mm	1630-3422
26 mm	17,0 mm	1630-3462
34 mm	12,0 mm	1630-3424
34 mm	17,0 mm	1630-3464
49 mm	12,0 mm	1630-3426
49 mm	17,0 mm	1630-3466

Front foot, Zeiss rail

With vertical tolerance adjustment
Prism width: 35 mm



Off-set / Height / Order No.		
0 mm	13,5 mm	1630-4540
34 mm	10,5 mm	1630-4514
34 mm	13,5 mm	1630-4544
49 mm	13,5 mm	1630-4546

Front foot, 36 mm ring

With vertical tolerance adjustment
Ring width: 15 mm

Off-set / Height / Order No.		
26 mm	17,0 mm	1630-3622
34 mm	17,0 mm	1630-3624
49 mm	17,0 mm	1630-3626

MAKlassic. Front bases.



Rifles

Model / Order No.		
Antonio Zoli	1900	1680-0067
Benelli	ARGO	1680-0003
BRNO	Fox, CZ 527, ZKB 680	1680-0041
	ZKK 600, CZ 550	1680-0047
	CZ 531	1680-0065
Carl Gustav	1896, 1900	1680-0005
	2000, 3000	1680-0095
	4000	1680-0037
Fabarm	Iris	1680-0040
FN Browning	A-Bolt, Eurobolt	1680-0002
	BAR I, BAR II, CBL, Acera	1680-0003
	BLR, CLR	1680-0057
	European	1680-0056
	Browning Mauser	1680-0004
	X-Bolt	1680-0128
Haenel	Jaeger 10	1680-0110
Heckler & Koch	SLB 2000	1680-0058
Heym	SR 20	1680-0060
	SR 21	1680-0039
	SR 30	1680-0099
Kongsberg	M 389	1680-0061
Krico	600, 700, 900, 902	1680-0006
Lakelander	M 389	1680-0071
Mauser	M 12	1680-0020
	225 Titan 2	1680-0035
	66	1680-0009
	94, 96 < Nr. 96011999	1680-0094
	94, 96 > Nr. 96012000	1680-0096
	K 98	1680-0010
Merkel	SR 1	1680-0117
Parker Hale	Safari 1200	1680-0011
Remington	700	1680-0012
	7400 / 7600	1680-0013
	seven	1680-0078
RWS/Rössler	Titan 6	1680-0108
Sabatti	Rover	1680-0075
Sako	Forester, Finnbear,	
	Finnwolf	1680-0053
	75, 85	1680-0054
Santa Barbara	Bolt action	1680-0044

Model / Order No.		
Sauer	80, 90, 92	1680-0015
	200	1680-0082
	202	1680-0081
	100	1680-0059
	101	1680-0080
	STR	1680-0106
Savage	110, 116 Kojak	1680-0016
Schultz & Larssen	M 97	1680-0104
Steyr	Classic SBS	1680-0089
	L	1680-0093
	M 086	1680-0086
	SM 12	1680-0090
	SL, L-Jagdmatch	1680-0018
	Ultra Light	1680-0111
	Scout	1680-0112
	Luxus	1680-0127
Swiss Arms	SHR 970	1680-0109
Tikka	55, 65, 558, 658	1680-0031
	590, 690	1680-0043
	Master	1680-0038
	T 3	1680-0107
Verney Carron	Automat	1680-0066
	Bolt action	1680-0019
Voere	2165 Kufstein	1680-0021
	Titan 2	1680-0045
	2185 Automat	1680-0083
Weatherby	Mark V, 300, Vanguard	1680-0023
Winchester	70	1680-0024
	70 Model .223,	
	.243 WSSM	1680-0114
	SXR Vulkan	1680-0025
Zastava	Mini Mauser	1680-0008
	70	1680-0049

Drop barrel guns

Model / Order No.		
Antonio Zoli	Drop barrel	1680-0505
Beretta	Silver Sable	1680-0513
B. Rizzini	Drop barrel	1680-0502
Browning	525 Express	1680-0507
Chapuis	O/U Express Superposé	1680-0500
	S/S Express Juxtaposé	1680-0503
F.A.I.R. Techni-Mec	Drop barrel	1680-0501
Krieghoff	Optima	1680-0511
Merkel	141	1680-0506
	SL 1, SL 2	1680-0512
Sabatti / Humbert	Drop barrel	1680-0504
Suhl	Drilling	1680-0510
Verney Carron	Sagittaire	1680-0508

Front base for 12 mm ribs.



Height / Order No.	
5,0 mm (open base)	1690-1205
6,0 mm (closed base)	1690-1206

Front base for 14 mm ribs.



Height / Order No.	
5,0 mm (open base)	1690-1405
6,0 mm (closed base)	1690-1406

Front base to replace the front receiver of a claw mount (Suhler Einhak mount).



Height / Order No.	
5,0 mm (open base)	1690-2205
6,0 mm (closed base)	1690-2206

MAKipp / 1-pc. For drop barrel guns.

Order example

5 1 2 2 - 3 0 0 0

- 51 = 1-pc MAKipp tip-on mount for drop barrel guns.
- 2 = Rib width 12 mm
- 2 = Ring height 2,5 mm
- 30 = 30 mm maintube

1-pc MAKipp Aufkippmontage for Drop barrel guns

Prism width / Key No.

12 mm	2
14/15 mm	5


Ring height / Key No.

2,5 mm	2
3,0 mm (40,0 mm rings)	3
5,0 mm	4
10,0 mm	8



Optic / Key No.

1"/26 mm maintube	26	40 mm maintube	41
30 mm maintube	30	LM prism	40
34 mm maintube	34	Picatinny rail	50
36 mm maintube	36	Zeiss rail	45



Ring height

MAK

MAKfix. For rifles.

Order example

40 0 0 - 3 0 0 1 0

40 = 2-pc MAKfix fixed mount
 0 = Height 11 mm
 0 = without off-set
 30 = 30 mm maintube
 010 = Rifle model Mauser K 98



2-pc MAKfix fixed mount for rifles

Height / Key No.

11,0 mm	0
14,0 mm	1
17,0 mm	2
20,0 mm	5

Off-set front feet / Key No.


0,0 mm	0
34,0 mm (only with height 17/20 mm)	4

Rifle model / Key No.

Please see the chart "Rifles"

Optic / Key No.

1"/26 mm maintube	26
30 mm maintube	30



Height and off-set

Rifles

Model / Key No.		
Antonio Zoli	1900	067
Benelli	ARGO	003
BRNO	Fox, CZ 527, ZKB 680	041
	ZKK 600, CZ 550	047
	CZ 531	065
	Carl Gustav	1896, 1900
2000, 3000		095
	4000	037
	Fabarm	Iris
FN Browning	A-Bolt, Eurobolt	002
	BAR I, BAR II, CBL, Acera	003
	BLR, CLR	057
	European	056
	Browning Mauser	004
X-Bolt	128	
Haenel	Jaeger 10	110
Heckler & Koch	SLB 2000	058
Heym	SR 20	060
	SR 21	039
	SR 30	099
Kongsberg	M 389	061
Krico	600, 700, 900, 902	006
Lakeland	M 389	071

Model / Key No.		
Mauser	M 12	020
	225 Titan 2	035
	66	009
	94, 96 < Nr. 96011999	094
	94, 96 > Nr. 96012000	096
	K 98	010
Merkel	SR 1	117
Parker Hale	Safari 1200	011
	700	012
	Remington	7400 / 7600
Seven	078	
RWS/Rössler	Titan 6	108
Sabatti	Rover	075
Sako	Forester, Finnbear,	053
	Finnwolf	054
	75, 85	054
Santa Barbara	Bolt action	044
Sauer	80, 90, 92	015
	200	059
	202	080
	100	082
	101	081
	STR	106
Savage	110, 116 Kojak	016
Schultz & Larssen	M 97	104

Model / Key No.		
Steyr	Classic SBS	089
	L	093
	M 086	086
	SM 12	090
	SL, L-Jagdmatch	018
	Ultra Light	111
	Scout	112
Luxus	127	
Swiss Arms	SHR 970	109
Tikka	55, 65, 558, 658	031
	590, 690	043
	Master	038
	T 3	107
Verney Carron	Automat	066
	Bolt action	019
Voere	2165 Kufstein	021
	Titan 2	045
	2185 Automat	083
Weatherby	Mark V, 300, Vanguard	023
Winchester	70	024
	70 Mod. .223, .243 WSSM	114
	SXR Vulkan	025
Zastava	Mini Mauser	008
	70	049

Mounts for red-dot sights.

MAKmasterLock



For Picatinny rails

Optic / Height / Order No.		
Aimpoint Micro	10,0 mm	60520-1000
Aimpoint Micro	23,0 mm	60580-1000
Docter Sight	10,0 mm	60520-9000
Docter Sight	23,0 mm	60580-9000
Fortuna General	10,0 mm	60520-7500
Fortuna General	15,0 mm	60540-7500

MAKuick



For Picatinny rails

Optic / Height / Order No.		
Aimpoint Micro	24,0 mm	50572-1000
Docter Sight	24,0 mm	50572-9000
MAKdot 1x25	22,0 mm	50572-8500



For Blaser R 8 with folding lever

Optic / Height / Order No.		
Aimpoint Micro	13,5 mm	50192-10194
Docter Sight	8,5 mm	50192-90194
MAKdot 1x25	8,5 mm	50192-85194

For Blaser R 93 with folding lever

Optic / Height / Order No.		
Aimpoint Micro	13,5 mm	50192-10193
Docter Sight	8,5 mm	50192-90193
MAKdot 1x25	8,5 mm	50192-85193

For Blaser R 8 with standard lever

Optic / Height / Order No.		
Aimpoint Micro	13,5 mm	5092-10194
Docter Sight	8,5 mm	5092-90194
MAKdot 1x25	8,5 mm	5092-85194

For Blaser R 93 with standard lever

Optic / Height / Order No.		
Aimpoint Micro	13,5 mm	5092-10193
Docter Sight	8,5 mm	5092-90193
MAKdot 1x25	8,5 mm	5092-85193

MAKlick



For front bases of pivot mounts

Optic / Order No.	
Aimpoint Micro	3000-1000
Aimpoint Comp	3000-3000
Aimpoint Z-Point	3000-5000
Docter Sight	3000-9000



MAKlick adapter

Optic / Order No.	
Aimpoint Micro	3100-1000
Ring for Aimpoint Comp	3300-3000
Picatinny adapter	3500-5000

MAKnetic



For Rifles

Optic / Order No.		
Aimpoint Micro & Blaser R 8		30194-1000
Docter Sight & Blaser R 8		30194-9000
Aimpoint Micro & Blaser R 93		30193-1000
Docter Sight & Blaser R 93		30193-9000
Docter Sight & Mauser M 03		30103-9000
Aimpoint Micro & Merkel KR 1		30162-1000
Docter Sight & Merkel KR 1		30162-9000
Docter Sight & Sauer 303		30133-9000

For Shotguns

Optic / Order No.		
Docter Sight & 6 mm rib		3006-9000
Docter Sight & 8 mm rib		3008-9000
Docter Sight & 10 mm rib		3010-9000
Docter Sight & 12 mm rib		3012-9000
Docter Sight & 14 mm rib		3014-9000
Aimpoint Micro & 10 mm rib		3010-1000
Aimpoint Micro & 12 mm rib		3012-1000
Aimpoint Micro & 14 mm rib		3014-1000

MAKnetic design is not compatible with Docter Sight Gen3 models.

MAKugel



For Picatinny rails and prisms

Optic / Order No.	
Aimpoint Micro & 12 mm prism	5612-1000
Docter Sight & 12 mm prism	5612-9000
Aimpoint Micro & 14/15 mm prism	5614-1000
Docter Sight & 14/15 mm prism	5614-9000
Aimpoint Micro & Picatinny rail	5650-1000
Docter Sight & Picatinny rail	5650-9000
Aimpoint Micro & CZ 550	56047-1000
Docter Sight & CZ 550	56047-9000
Aimpoint Micro & Sako	56054-1000
Docter Sight & Sako	56054-9000
Aimpoint Micro & Tikka T3	56107-1000
Docter Sight & Tikka T3	56107-9000

www.mak.ag



MAK GROUP · HEIDENFELDER STRASSE 1 · 97525 SCHWEBHEIM · GERMANY · TEL. +49 (0)9723 93805-0 · FAX -129 · KILIC@MAK.AG